

INTEGRATED RESOURCE PLAN

2017

LOCKHART POWER COMPANY

INTEGRATED RESOURCE PLAN

1	1.	STATEMENT OF OBJECTIVE
2		Lockhart Power Company's (LPC) objective in developing an Integrated Resource Plan
3		(IRP) is to minimize our long run total costs and produce the least cost to our customers
4		consistent with the availability of an adequate and reliable supply of electric energy while
5		maintaining system flexibility and considering environmental impacts. We intend for the
6		plan to also improve customer service, offer additional customer options, and improve
7		efficiencies of energy usage.
8		
9	2.	RELEVANT SUPPORTING DOCUMENTATION
10		a. See ATTACHMENTS
11		1 SUPPLY RESOURCES
12		2 DEMAND FORECAST
13		3 SUPPLY AND SALES FORECAST
14		4 LOCKHART POWER COMPANY ENERGY SOURCES
15		5 MAINTENANCE COST
16		
17	3.	SUPPLY RESOURCES
18		LPC presently utilizes ten sources of supply, including nine generation stations and
19		purchases from Duke Energy (See Attachment 1). More than 99% of the power LPC self-
20		generates is renewable energy. LPC utilizes a firm wholesale PPA with Duke Energy to
21		provide its generation needs beyond the amount it self-generates. Duke Energy's rates to

LPC are presumptively just and reasonable, having been permitted by the FERC. We

plan to continue to use Duke Energy to provide a firm load-following supply for the

22

23

1		foreseeable future. However, LPC intends to investigate other sources to determine if the
2		costs and benefits, both short run and long run, meet the objectives of our IRP. The
3		sources we intend to investigate include, but are not limited to the following:
4		GENERATION Additional cost effective renewable energy generation resources;
5		cost effective natural gas generation resources.
6		
7	4.	VARIOUS ENERGY AND DEMAND ALTERNATIVES, EFFICIENT ENERGY
8		CHOICES AND PROPER PRICING SIGNALS
9		LPC has done and continues to do the following:
10		A. Designed its rates to economically encourage improved load factors and to
11		reduce monthly demands by:
12		1. Incorporating a demand penalty by use of a demand ratchet
13		in its residential rates. This encourages peak shaving.
14		2. Dividing its commercial and industrial rates into a first 200
15		hours use of billing demand rate and an over 200 hours use of
16		billing demand rate with the rates in the latter considerably less
17		expensive than the first 200 hours use block. This encourages peak
18		shaving.
19		3. Incorporating conservation requirements in its Residential -
20		All Electric and General Service - All Electric rates. This
21		encourages conservation.
22		4. Designing its Residential and Residential - All Electric
23		rates such that they are identical during the summer months, the
24		season of LPC's system peak. This encourages peak shaving and
25		conservation.
26		5. Designing its General Service Commercial and General
27		Service - All Electric rates such that they are identical during the

1		summer months, the season of LPC's system peak. This
2		encourages peak shaving and conservation.
3		6. Converting its Residential rate and Residential - All
4		-Electric rate (summer months) from a declining block rate to an
5		inverted rate. This encourages conservation.
6		
7	5.	EVALUATING POTENTIAL OPTIONS
8		LPC will employ unbiased analysis techniques for potential options included in its IRP.
9		LPC will evaluate each option by including all appropriate costs and benefits and will
10		provide a detailed explanation with supporting evidence for our choice.
11		
12	6.	EVALUATING THE COST EFFECTIVENESS OF SUPPLY-SIDE AND
13		DEMAND SIDE OPTIONS
14		LPC has adopted an interruptible service demand-side management program offered by
15		Duke Energy. Currently approximately one third of LPC's industrial customers are
16		enrolled in the program. This program encourages peak shaving.
17		
18	7.	MEASURE OF NET BENEFITS
19		LPC will provide the net benefits resulting from the options chosen for use, keeping
20		within the objective stated in Section 1. Benefits are considered to be, but are not limited
21		to, cost savings, peak load shaving, conservation, load shifting, valley filling,
22		environmental concerns, improvement of customer service, offering of additional
23		customer options, improved efficiencies of energy usage, and improved outage times and
24		reliability, and economic development impact on the community.
25		
26	8.	ENVIRONMENTAL COSTS
27		LPC will consider environmental costs on a monetized basis where reasonable and
28		sufficient data is available in its planning process and evaluation of options. Those

1		environmental costs that cannot be monetized will be addressed on a qualitative basis
2		within the planning process and evaluation of options. The environmental costs referred
3		to here are those costs associated with demand or supply side options which impact the
4		customer directly or indirectly.
5		
6	9.	DEMAND AND ENERGY FORECAST
7		See Attachments 2 and 3
8		
9	10.	EVALUATION AND REVIEW OF EXISTING DEMAND-SIDE OPTIONS
10		See Section 4 Above
11		
12	11.	FUTURE STUDIES
13		LPC continues to evaluate potential renewable energy initiatives and other potential
14		supply-side opportunities. In particular, as the cost of solar generation equipment
15		continues to drop, potential opportunities to cost-effectively provide smaller utility-scale
16		solar power for our coustomers will continue to be studied.
17		
18	12.	FLEXIBILITY AND QUICK RESPONSE
19		LPC intends to remain flexible enough to react quickly to changes in a manner consistent
20		with minimizing costs while maintaining reliability.
21		
22	13.	MAINTENANCE
23		Maintenance is a continuous process at LPC. Actual maintenance costs for rate base
24		assets in 2015 and 2016 are shown in Attachment 5 as well as the forecast of maintenance
25		costs for 2017 through 2031.
26		
27	14.	THIRD PARTY POWER PURCHASES

LPC will investigate other purchase sources if the occasion arises and is willing to pursue any other purchase sources to determine if the costs and benefits, both short run and long run, provide our customers with the options consistent with our IRP objective.

15. NEW TECHNOLOGIES

LPC will continuously evaluate, pursuant to its IRP objective, new technology for both demand-side and supply-side options. In addition to advances in solar generation technology, Lockhart Power Company keeps up-to-date on advances in hydrokinetic and similar technologies that could one day be cost effectively deployed in existing water conveyances.

16. FUTURE SUPPLY-SIDE OPTIONS

LPC presently has no certain scheduled supply side options other than those described in Section 3. LPC is monitoring development of the solar generation market in South Carolina, including proposed legislative changes, and will respond to any changes in a manner that is cost effective and appropriate for its customers.

17. CAPTURING LOST OPPORTUNITY RESOURCES

LPC gives attention to capturing lost-opportunity resources which include cost-effective energy efficiency savings such as in new construction, renovation, and in routine replacement of existing equipment. In routine replacement of any and all equipment, LPC includes energy and efficiency savings as a component of evaluation.

18. DYNAMICS OF IRP PROCESS

LPC realizes that the IRP process is dynamic and that modifications may be necessary over time. As new issues arise, existing issues or components of the plan change in significance and improved analysis techniques developed; LPC intends to file revisions to its IRP with The Public Service Commission of South Carolina and request that the

- Commission incorporate the revision into LPC's IRP or approve it as a separate
- 2 consideration.

Supply Resources

Facility Name	Location	Nameplate Capacity	Rate Base?	Fuel Source
Lockhart Hydro	Lockhart, SC	18 MW	Yes	Water (Non-Consumptive)
Lower Pacolet Hydro*	Pacolet, SC	0.8 MW	Yes	Water (Non-Consumptive)
Pacolet Diesel	Pacolet, SC	5.5 MW	Yes	Diesel
Union Diesel	Union, SC	7.3 MW	Yes	Diesel
Wellford Renewable Energy Facility*	Wellford, SC	1.6 MW	Yes	Landfill Gas
Upper Pacolet Hydro*	Pacolet, SC	1.1 MW	Yes	Water (Non-Consumptive)
Lockhart Minimum Flow Hydro*	Lockhart, SC	0.8 MW	Yes	Water (Non-Consumptive)
Lockhart Bio-Energy, LLC Union Renewable Energy Facility*	Union, SC	3.2 MW	No	Landfill Gas
Columbia Hydro*	Columbia, SC	10.6 MW	Yes	Water (Non-Consumptive)
Purchases from Duke Energy (as Firm Customers)	N/A	Load Following	N/A	N/A

^{*}Notes: Power generated from these facilities is currently sold off-system under contracts. Revenues from the facilities in rate base flow to Lockhart Power Company's customers.

LOCKHART POWER COMPANY

DOCKET NO. 2017-11-E ORDER NO. 94-348

SUMMER DEMAND FORECAST

SYSTEM SUMMER PEAK	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
DEMAND IN MW'S SYSTEM PEAK DEMAND	69.3	70.0	70.7	71.4	72.1	72.8	73.6	74.3	75.0	75.8	76.6	77.3	78.1	78.9	79.7
DEMAND COURCES	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
DEMAND SOURCES LOCKHART HYDRO GENERATION	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5	16.5
PACOLET DIESEL GENERATION	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
UNION DIESEL GENERATION	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
PURCHASES FROM DUKE ENERGY	38.8	39.5	40.2	40.9	41.6	42.3	43.1	43.8	44.5	45.3	46.1	46.8	47.6	48.4	49.2
TOTAL DEMAND SOURCES	69.3	70.0	70.7	71.4	72.1	72.8	73.6	74.3	75.0	75.8	76.6	77.3	78.1	78.9	79.7
				,	WINTER	DEMAND	FORECA	AST							
SYSTEM WINTER PEAK DEMAND IN MW'S	2017	2018	2019	2020	WINTER 2021	DEMAND 2022	FORECA 2023	AST 2024	2025	2026	2027	2028	2029	2030	2031
	2017 66.8	2018 67.5	2019 68.1						2025 72.3	2026 73.1	2027 73.8	2028 74.5	2029 75.3	2030 76.0	2031 76.8
DEMAND IN MW'S SYSTEM PEAK DEMAND				2020	2021	2022	2023	2024							
DEMAND IN MW'S SYSTEM PEAK DEMAND DEMAND SOURCES	66.8 2017	67.5 2018	68.1 2019	2020 68.8 2020	2021 69.5 2021	2022 70.2 2022	2023 70.9 2023	2024 71.6 2024	72.3 2025	73.1 2026	73.8 2027	74.5 2028	75.3 2029	76.0 2030	76.8 2031
DEMAND IN MW'S SYSTEM PEAK DEMAND DEMAND SOURCES LOCKHART HYDRO GENERATION	66.8 2017 16.5	67.5 2018 16.5	68.1 2019 16.5	2020 68.8 2020 16.5	2021 69.5 2021 16.5	2022 70.2 2022 16.5	2023 70.9 2023 16.5	2024 71.6 2024 16.5	72.3 2025 16.5	73.1 2026 16.5	73.8 2027 16.5	74.5 2028 16.5	75.3 2029 16.5	76.0 2030 16.5	76.8 2031 16.5
DEMAND IN MW'S SYSTEM PEAK DEMAND DEMAND SOURCES LOCKHART HYDRO GENERATION PACOLET DIESEL GENERATION	66.8 2017 16.5 6	67.5 2018 16.5 6	68.1 2019 16.5 6	2020 68.8 2020 16.5 6	2021 69.5 2021 16.5 6	2022 70.2 2022 16.5 6	2023 70.9 2023 16.5 6	2024 71.6 2024 16.5 6	72.3 2025 16.5 6	73.1 2026 16.5 6	73.8 2027 16.5 6	74.5 2028 16.5 6	75.3 2029 16.5 6	76.0 2030 16.5 6	76.8 2031 16.5 6
DEMAND IN MW'S SYSTEM PEAK DEMAND DEMAND SOURCES LOCKHART HYDRO GENERATION	66.8 2017 16.5	67.5 2018 16.5	68.1 2019 16.5	2020 68.8 2020 16.5	2021 69.5 2021 16.5	2022 70.2 2022 16.5	2023 70.9 2023 16.5	2024 71.6 2024 16.5	72.3 2025 16.5	73.1 2026 16.5	73.8 2027 16.5	74.5 2028 16.5	75.3 2029 16.5	76.0 2030 16.5	76.8 2031 16.5

Note: LPC generation resources that provide off-system sales per long-term contracts are excluded.

LOCKHART POWER COMPANY

Docket NO. 2017-11-E Order NO. 94-348 & 98-502

SUPPLY AND SALES FORECAST (MWH)


	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
System Requirements															
Metered Sales	335,361	338,715	342,102	345,523	348,978	352,468	355,992	359,552	363,148	366,779	370,447	374,152	377,893	381,672	385,489
Company Use	803	803	803	803	803	803	803	803	803	803	803	803	803	803	803
Losses	20,866	21,075	21,285	21,498	21,713	21,930	22,150	22,371	22,595	22,821	23,049	23,280	23,512	23,747	23,985
Required System Input	357,030	360,592	364,190	367,824	371,494	375,201	378,945	382,727	386,546	390,403	394,299	398,234	402,209	406,223	410,277
	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Supply Sources	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Supply Sources Lockhart Hydro Generation	2017 60,000	2018 60,000	2019 60,000	2020 60,000	2021 60,000	2022 60,000	2023 60,000	2024 60,000	2025 60,000	2026 60,000	2027 60,000	2028 60,000	2029 60,000	2030 60,000	2031 60,000
,															
Lockhart Hydro Generation	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000
Lockhart Hydro Generation Pacolet Diesel Generation	60,000	60,000	60,000	60,000 8	60,000	60,000	60,000 8	60,000	60,000	60,000	60,000	60,000	60,000	60,000	60,000


Note: Under the current Duke Energy PPA, the Pacolet and Union Diesel Generation stations are only operated in emergency situations.

Energy Sources in Percent of MWH's Input								
Inputs	2013	2014	2015	2016				
Lockhart Hydro	91941	74933	60264	61049				
Diesel	598	812	641	18				
Purchased	236669	265493	262401	261786				
Total	329208	341238	323306	322853				


Note: Purchased Power obtained from Duke Energy


LOCKHART POWER COMPANY ENERGY SOURCES IN PERCENT OF MWH'S INPUT





2015





2016

Note: Purchased Power obtained from Duke Energy

YEAR	MAINTENANCE COST	YEAR	MAINTENANCE COST
2015	\$2,588,953	2024	\$3,552,282
2016	\$2,804,204	2025	\$3,658,850
2017	\$2,888,330	2026	\$3,768,616
2018	\$2,974,980	2027	\$3,881,674
2019	\$3,064,229	2028	\$3,998,124
2020	\$3,156,156	2029	\$4,118,068
2021	\$3,250,841	2030	\$4,241,610
2022	\$3,348,366	2031	\$4,368,858
2023	\$3,448,817		